**Vanjoin (Hubei) High-Tech Industrial Co.,Ltd**

Website: www.vanjoinbuild.com/www.wallsandwichpanel.com
HQ Office: Poly Champagne International Building, Wuhan, China
Factory: Xuzhou, Wuhan

Tel:+86-27-82801008/82801003
Mobile/WhatsApp/WeChat:+86-19023711120
E-mail:Marketing@vanjoin.com

VANJOIN



# 2026



VANJOIN

## 绿色梦·健康家

Green Environmental Protection

以精致的细节和优雅的色彩，

为您打造一个宜居的家居空间。

With exquisite details and elegant colors

Create a livable home space for you.



# 目录/Catalogue


线条配件一览表 …… 01
List of line fittings
背景墙效果图 …… 03
Background wall renderings
板材系列 …… 31
Plate series
造型线系列 …… 40
Modeling line series
石晶线条 …… 67
Shijing line
装饰线 …… 68
decorative rib
踢脚线 …… 72
skirting board
工字及收口线 …… 76
I-line and convergent line
格栅线 …… 79
Grille line
石塑线 …… 81
Shisu line



图册颜色仅供参考，产品以实物为准！











The color of the album is for reference only, and the products are subject to the real thing!

VANJOIN



# 线条及配件产品规格和应用 /Product specification and application of lines and accessories

单位：毫米
Unit: mm

| 序号 NO. | 编号 number | 断面 section | 应用 application |
|---|---|---|---|
| 1 | 3X3护角线 |  | 护角线<br>Corner guard line |
| 2 | P5050 |  | 意式墙板阳角收口<br>Italian wallboard external corner closing |
| 3 | H5028 |  | 饰面板阳角收口<br>Exterior corner closing of decorative panel |
| 4 | H1520 |  | 骨格造型装饰线<br>Guge modeling decorative line |
| 5 | H2815 |  | 半圆装饰线<br>Semicircular decorative line |
| 6 | H6029 |  | 格栅装饰线<br>Grille decorative line |
| 7 | H7020 |  | 装配式造型线<br>Assembled molding line |
| 8 | H7870 |  | 装配式造型线<br>Assembled molding line |
| 9 | H8026 |  | 装配式造型线<br>Assembled molding line |
| 10 | H1010-外弧 |  | 装配式造型线<br>Assembled molding line |
| 11 | H1010-内弧 |  | 装配式造型线<br>Assembled molding line |
| 12 | H1286 |  | 装配式造型线<br>Assembled molding line |
| 13 | H1342 |  | 装配式造型线<br>Assembled molding line |
| 14 | H1670 |  | 装配式造型线<br>Assembled molding line |
| 15 | H2011-外弧 |  | 装配式造型线<br>Assembled molding line |
| 16 | H2011-内弧 |  | 装配式造型线<br>Assembled molding line |

| 序号 NO. | 编号 number | 断面 section | 应用 application |
|---|---|---|---|
| 17 | H228 |  | 装配式造型线<br>Assembled molding line |
| 18 | H1550 |  | 装配式造型线<br>Assembled molding line |
| 19 | H330 |  | 装配式造型线<br>Assembled molding line |
| 20 | H1050-外弧 |  | 装配式造型线<br>Assembled molding line |
| 21 | H1050-内弧 |  | 装配式造型线<br>Assembled molding line |
| 22 | H1842 |  | 装配式造型线<br>Assembled molding line |
| 23 | H1587 |  | 装配式造型线<br>Assembled molding line |
| 24 | H9580 |  | 装配式造型线<br>Assembled molding line |
| 25 | H9787 |  | 装配式造型线<br>Assembled molding line |
| 26 | H5030 |  | 装配式造型线<br>Assembled molding line |
| 27 | H5040 |  | 装配式造型线<br>Assembled molding line |
| 28 | H8035 |  | 装配式造型线<br>Assembled molding line |
| 29 | H2635 |  | 装配式造型线<br>Assembled molding line |
| 30 | 格栅线 H80 |  | 半圆格栅线<br>Semi-circular grid line |
| 31 | 格栅线 H160 |  | 装饰格栅线<br>Decorative grid line |
| 32 | 格栅线 H140 |  | 装饰格栅线<br>Decorative grid line |



| 序号 NO. | 编号 number | 断面 section | 应用 application |
|---|---|---|---|
| 33 | 格栅线 H102 |  | 装饰格栅线<br>Decorative grid line |
| 34 | 格栅线 H103 |  | 装饰格栅线<br>Decorative grid line |
| 35 | 格栅线 H105 |  | 装饰格栅线<br>Decorative grid line |
| 36 | 格栅线 H106 |  | 装饰格栅线<br>Decorative flat line |
| 37 | 1508 |  | 装饰平板线<br>Flat line, skirting line |
| 38 | HP40 |  | 平板线、踢脚线<br>Flat line, skirting line |
| 39 | HP60 |  | 平板线、踢脚线<br>Flat line, skirting line |
| 40 | HP80 |  | 平板线、踢脚线<br>Flat line, skirting line |
| 41 | HY68 |  | 顶角线<br>crown moulding |
| 42 | 顶角线 HY70 |  | 顶角线<br>crown moulding |
| 43 | 顶角线 HY100 |  | 顶角线<br>crown moulding |
| 44 | 双眼皮线 HY210 |  | 双眼皮顶角线<br>Double eyelid apex line |
| 45 | 双眼皮线 HY212 |  | 双眼皮顶角线<br>Double eyelid apex line |
| 46 | HK30 |  | 扣线装饰线<br>Buckle decorative thread |
| 47 | HY35 |  | 腰线装饰线<br>Waist line decorative line |
| 48 | HD60 |  | 装饰线<br>decorative rib |
| 49 | HD80 |  | 装饰线<br>decorative rib |

| 序号 NO. | 编号 number | 断面 section | 应用 application |
|---|---|---|---|
| 50 | HD100 |  | 装饰线<br>decorative rib |
| 51 | HM70 |  | 装饰线<br>decorative rib |
| 52 | 踢脚线HT8 |  | 踢脚线<br>skirting board |
| 53 | 踢脚线HT6 |  | 踢脚线<br>skirting board |
| 54 | 踢脚线HT98 |  | 踢脚线<br>skirting board |
| 55 | 踢脚线HT150 |  | 踢脚线<br>skirting board |
| 56 | 踢角线HT3 |  | 踢脚线<br>skirting board |
| 57 | 踢角线HT5 |  | 踢脚线<br>skirting board |
| 58 | 8mm内工字线 |  | 内工字线<br>Inner I-line |
| 59 | S08工字线 |  | 工字线<br>I-line |
| 60 | S05工字线 |  | 工字线<br>I-line |
| 61 | S08收口线 |  | 收口线<br>Convergent line |
| 62 | S05收口线 |  | 收口线<br>Convergent line |
| 63 | S3(护角) |  | 石塑护角线<br>Stone-plastic corner protector |
| 64 | S150 |  | 石塑装饰线<br>Stone plastic decorative line |
| 65 | S259 |  | 石塑电梯门套线<br>Shisu elevator door cover line |
| 66 | S295 |  | 石塑电梯门套线<br>Shisu elevator door cover line |

VANJOIN


绿色梦 . 健康家



Green Environmental Protection




## 案例线型图/Case line diagram




## 案例搭配颜色/Case collocation color




## 尺寸参考图/Dimensional reference drawing




绿色梦 . 健康家



Green Environmental Protection




## 案例线型图/Case line diagram




## 案例搭配颜色/Case collocation color




## 尺寸参考图/Dimensional reference drawing






Green Environmental Protection




## 案例线型图/Case line diagram




## 案例搭配颜色/Case collocation color





## 尺寸参考图/Dimensional reference drawing





Green Environmental Protection


## 案例线型图/Case line diagram




## 案例搭配颜色/Case collocation color




## 尺寸参考图/Dimensional reference drawing



VANJOIN


绿色梦 . 健康家



Green Environmental Protection




## 案例线型图/Case line diagram




## 案例搭配颜色/Case collocation color




## 尺寸参考图/Dimensional reference drawing



绿色梦 . 健康家



Green Environmental Protection



## 案例线型图/Case line diagram


H5040








P600




## 案例搭配颜色/Case collocation color




## 尺寸参考图/Dimensional reference drawing





Green Environmental Protection




## 案例线型图/Case line diagram


H1670




H1010





H2011




H9580




H1550





## 案例搭配颜色/Case collocation color

雪山白
snow mountain white

锦瑟胡桃
Jin se Hu Tao

## 尺寸参考图/Dimensional reference drawing






Green Environmental Protection




## 案例线型图/Case line diagram




## 案例搭配颜色/Case collocation color





## 尺寸参考图/Dimensional reference drawing







## 尺寸参考图









## 尺寸参考图/Dimensional reference drawing




## 案例线型图/Case line diagram




## 案例搭配颜色 /Case collocation color








案例线型图/Case line diagram


隔墙板6050
partition board




隔墙板龙骨7240
Partition keel




隔墙板6050 示意图
Schematic diagram of partition board 6050



隔墙板6050+隔墙板龙骨7240 连接示意图
Schematic diagram of partition board 6050+ partition board keel 7240 connection



隔墙板6050+隔墙板龙骨7240拼装示意图
Schematic diagram of partition board 6050+ partition board keel 7240 assembly



## 隔墙DIY装配系统 DIY assembly system of partition wall

50mm 厚一体式石塑装配式隔墙板
50mm thick integrated stone-plastic assembled partition board

### 五大核心创新点 /Five core innovations

**1.免龙骨直装，完全替代轻钢龙骨隔墙**
**1. No keel installation, completely replacing the light steel keel partition wall.**
板材自身结构强度充足，无需搭建轻钢龙骨骨架，无需墙面基层找平处理，板材依靠侧边公母卡槽直接拼接即可成型完整隔断墙体，省去多道施工工序，施工效率提升 60% 以上。
The structural strength of the plate itself is sufficient, and there is no need to build a light steel keel frame and leveling the wall base. The plate can be directly spliced by the male and female slots on the side to form a complete partition wall, which saves multiple construction procedures and improves the construction efficiency by more than 60%.

**2.双面自带成品饰面，零二次装修成本**
**2. Both sides have their own finished finishes, and the cost of secondary decoration is zero.**
墙板出厂双面同步一体化压制成型装饰饰面，花色丰富、耐磨耐刮，安装完成后墙面直接达到使用标准，无需批腻子、刷乳胶漆、粘贴饰面板，大幅减少材料费用与人工装修成本。
The decorative veneer is pressed and molded synchronously on both sides of the wallboard, which is rich in colors, wear-resistant and scratch-resistant. After installation, the wall directly meets the use standard, and there is no need to batch putty, brush latex paint and paste the veneer, which greatly reduces the material cost and artificial decoration cost.

**3.内置贯通走线空腔，免打孔无损布设水电**
**3. Built-in through wiring cavity, water and electricity can be laid without punching.**
板材内部预留上下完全贯通的中空走线空腔，水电管线可直接穿入空腔内部排布，无需在墙体表面开槽、打孔，全程不破坏墙体结构，保证墙体隔音、保温性能不受损伤，杜绝后期墙体开裂问题。
A hollow wiring cavity is reserved inside the board, and the water and electricity pipelines can directly penetrate into the cavity for arrangement, without slotting and punching on the wall surface, without damaging the wall structure in the whole process, ensuring that the sound insulation and heat preservation performance of the wall are not damaged, and eliminating the problem of wall cracking in the later period.

**4.专属配套收口系统，卡扣搭配独家造型线**
**4. Exclusive matching convergent system, buckle with exclusive molding line.**
本产品配套厂家自主生产的专用收口卡扣，卡扣可完美适配墙板侧边尺寸，分别适配墙体内角、外角、直边、门窗边多种收口场景；同时专用收口卡扣可与厂家独家开模生产的造型线条精准卡接，无需打胶即可完成无缝收口，边角线条规整大气，全屋隔断线条风格统一。且卡扣与造型线均为专属配套配件，不通用其他墙板，提升产品专属壁垒。
This product is equipped with a special closing buckle independently produced by the manufacturer, which can perfectly adapt to the side size of the wallboard, and adapt to various closing scenes of the inner corner, outer corner, straight edge and door and window edge of the wall respectively; At the same time, the special closing buckle can be accurately clamped with the molding lines produced by the manufacturer's exclusive mold opening, and the seamless closing can be completed without gluing. The corner lines are regular and atmospheric, and the style of the whole house partition lines is unified. And the buckle and the molding line are exclusive accessories, and other wallboard is not common, which enhances the exclusive barrier of products.

**5.石塑基材一体五防，无需额外防护辅料**
**5. Stone-plastic substrate is integrated with five defenses, and no additional protective accessories are needed.**
依托石塑基材内含大量无机不燃石粉，搭配环保阻燃、防潮改性助剂，板材原生具备五大性能：B1 级防火阻燃、高密度防水防潮、实心板体隔音降噪、低导热保温隔热，无需额外加装隔音棉、保温层、防火保护层，一板满足全部防护需求。
本产品全程采用干法装配式施工，无水泥、腻子等湿作业，无施工粉尘垃圾，不受天气环境影响，即装即用，适用场景广泛。
Relying on the large amount of inorganic incombustible stone powder contained in the stone plastic substrate, and matched with environmental-friendly flame-retardant and moisture-proof modification additives, the board has five properties: B1-level fire retardant, high-density waterproof and moisture-proof, sound insulation and noise reduction of the solid board, low thermal conductivity and heat insulation, and there is no need to additionally install sound insulation cotton, insulation layer and fire protection layer, and one board can meet all protection requirements.
The whole process of this product adopts dry assembly construction, and there is no wet operation such as cement and putty, no construction dust and garbage, and it is not affected by the weather and environment, so it is ready to use and is suitable for a wide range of scenarios.

# 隔墙DIY装配系统 DIY assembly system of partition wall

50mm 厚一体式石塑装配式隔墙板
50mm thick integrated stone-plastic assembled partition board

## 五大核心创新点 /Beneficial effects

与传统轻钢龙骨隔墙以及市面普通隔墙板相比，本实用新型具备以下有益效果：
Compared with the traditional light steel keel partition wall and the common partition wall in the market, the utility model has the following beneficial effects:

### 施工更高效 /Construction is more efficient

取消轻钢龙骨骨架，板材直接拼接，施工流程极简，工期缩短三分之二；
The light steel keel frame is cancelled, and the plates are directly spliced, so the construction process is extremely simple and the construction period is shortened by two thirds;

### 造价更低廉 /The cost is lower

省去龙骨、饰面材料、防护辅料、开槽人工等多项开支，综合装修成本大幅下降；
Save keel, decorative materials, protective accessories, slotting labor and other expenses, and the comprehensive decoration cost is greatly reduced;

### 墙体更耐用 /Walls are more durable

免打孔开槽布线，墙体完整无损伤，后期不开裂、不变形、不返潮，使用寿命更长；
No punching and slotting wiring, no damage to the wall, no cracking, deformation and moisture regain in the later period, and longer service life;

### 收口更美观 /Closing is more beautiful

专属卡扣 + 独家造型线配套收口，告别传统打胶收口发黄、开裂、不美观的问题，全屋线条统一，装修档次更高；
Exclusive buckle+exclusive molding line matching closing, bid farewell to the problem of yellowing, cracking and unsightly closing of traditional gluing, with unified lines in the whole house and higher decoration grade;

### 产品差异化强 /Strong product differentiation

配套收口构件独家生产，市面上无法通用，形成产品独有优势，提升市场竞争力，适配所有配套系统造型线；
Supporting convergent components are exclusively produced and cannot be used in the market, forming unique advantages of products, enhancing market competitiveness and adapting to all supporting system modeling lines;

### 性能更全面 /More comprehensive performance

同时兼顾防火、防水、防潮、隔音、保温，干湿空间均可使用，适配场景更广；
At the same time, it takes into account fire prevention, waterproof, moisture-proof, sound insulation and heat preservation, and both dry and wet spaces can be used to adapt to a wider range of scenes;

### 绿色环保 /green environmental protection

石晶材质无甲醛，干法施工无污染，安装完毕即可投入使用。
The stone crystal material is formaldehyde-free, dry construction is pollution-free, and it can be put into use after installation.



## 产品实测性能参数 /Measured performance parameters of products

| | |
|---|---|
| **防火性能** | 达到建筑 B1 级难燃标准，离火自熄，无有毒有害烟气释放。 |
| **Fire protecting performance** | It meets the building B1 flame retardant standard, and it will extinguish itself without fire, and no toxic and harmful smoke will be released. |
| **防水防潮** | 板材整体吸水率≤0.5%，长期处于潮湿环境不发霉、不变形。 |
| **Waterproof and moisture proof** | The overall water absorption of the board is ⩽0.5%, and it will not be moldy or deformed in a humid environment for a long time. |
| **三层中空隔音** | 高低频都进一步优化，对车流、马路低频噪音提升明显。 |
| **Three-layer hollow sound insulation** | The high and low frequencies are further optimized, and the low-frequency noise of traffic and roads is obviously improved. |
| **保温性能** | 板材导热系数低，有效阻隔室内外热量传递，节能保温效果优异。 |
| **Thermal insulation property** | The plate has low thermal conductivity, effectively blocks indoor and outdoor heat transfer, and has excellent energy-saving and thermal insulation effects. |
| **装配效率** | 同等面积隔墙，施工时长仅为传统轻钢龙骨隔墙的 1/3。 |
| **Assembly efficiency** | The construction time of the partition wall with the same area is only 1/3 of that of the traditional light steel keel partition wall. |




Green Environmental Protection




## 案例线型图/Case line diagram

H2635





H8035




H5040




P300








## 案例搭配颜色/Case collocation color




## 尺寸参考图/Dimensional reference drawing






Green Environmental Protection




## 案例线型图/Case line diagram




## 案例搭配颜色/Case collocation color




## 尺寸参考图/Dimensional reference drawing






Green Environmental Protection




## 案例线型图/Case line diagram




## 案例搭配颜色/Case collocation color




## 尺寸参考图/Dimensional reference drawing




绿色梦 . 健康家




Green Environmental Protection



## 案例线型图/Case line diagram





## 案例搭配颜色/Case collocation color




## 尺寸参考图/Dimensional reference drawing





## 板材介绍/Sheet introduction：

护墙板的环保性能较好，无论是从原材料挑选还是制作工艺，都采用了天然环保无添加的方式加工。造型多样，装饰效果好，能满足不同消费者的需求，并具有防辐射和调节隔音的效果、安全性较高，耐磨、抗损远胜于常见的涂料和壁纸。护墙板作为家居装饰，商业装饰，依旧是竞争激烈的一个热门板块，公司主打就是满足顾客一切需求，保证客户的满意度。

The environmental protection performance of the wallboard is good. No matter from the selection of raw materials or the manufacturing process, it is processed in a natural and environmentally-friendly way. Various shapes, good decorative effect, can meet the needs of different consumers, and has the effects of radiation protection and sound insulation adjustment, high safety, wear resistance and loss resistance far superior to common paints and wallpapers. As home decoration and commercial decoration, wallboard is still a hot plate with fierce competition. The company's flagship is to meet all customers' needs and ensure customer satisfaction.

**环保效果佳：**护墙板的环保性能较好，无论是从原材料挑选还是制作工艺，都采用了天然环保无添加的方式加工。

**Good environmental protection effect:** the environmental protection performance of the wallboard is good. No matter from the selection of raw materials or the production process, it is processed in a natural and environmentally-friendly way without adding.

**装饰效果好：**护墙板造型多样，装饰效果好，能满足不同消费者的需求。在家装环境中，能够增添整个家装空间的自然感与舒适感。

**Good decorative effect:** the wallboard has various shapes and good decorative effect, which can meet the needs of different consumers. In the home improvement environment, it can increase the naturalness and comfort of the whole home improvement space.

**实用性强：**护墙板具有防辐射和调节隔音的效果。经过国家权威部门检测，隔音效果可达29分贝，对家装空间的消音处理非常好。

**Strong practicability:** the wallboard has the effects of radiation protection and sound insulation adjustment. After testing by the national authoritative department, the sound insulation effect can reach 29 decibels, which is very good for the noise reduction of home improvement space.

**安全性高：**护墙板的安全性较高，耐磨、抗损远胜于常见的涂料和壁纸。如果家里有孩子，就更适合使用护墙板。家中总有一些磕碰几率较大的区域，比如公共区或过道等，护墙板能很好地保护墙面，且更方便悬挂或粘贴装饰画与照片。

**High safety:** the safety of wallboard is high, and its wear resistance and damage resistance are far better than those of common paints and wallpapers. If you have children at home, it is more suitable to use wallboard. There are always some areas with a high probability of bumping, such as public areas or corridors. The wallboard can protect the wall well, and it is more convenient to hang or paste decorative paintings and photos.

**隔音效果：**护墙板还能达到一定的隔音效果，如果房间有隔音需求的话，也可以选择安装护墙板。

**Sound insulation effect:** the clapboard can also achieve a certain sound insulation effect. If the room has sound insulation requirements, you can also choose to install clapboard.

**冬暖夏凉：**木质护墙板的木材是属于不良导体，采用护墙板的房间会冬暖夏凉，因为木材本身对房间的空气湿度可以起到调节作用。


**Warm in winter and cool in summer:** the wood of wooden clapboard is a bad conductor, and the room with clapboard will be warm in winter and cool in summer, because the wood itself can adjust the air humidity in the room.











# U缝板系列/U-seam plate series













## 产品参数 Product parameter

| | | | |
|---|---|---|---|
| 产品编号 Product number | P50 | | |
| 产品截面 Product section |  50mm 100mm | | |
| 产品规格 Product specification | 长：2400mm，可定制 Length: 2400mm, which can be customized | 宽度：100mm Width: 100mm | 厚度：8mm Thickness: 8mm |
| 产品饰面 Product facing | PVC膜 PVC film | 性能 performance | 防水、防潮 Waterproof and moistureproof |
| 产品材质 Product material | 石塑 Stone sculpture | 防火级别 Fire protection level | B1级 B1 level |
| 安装方式 Installation mode | 干挂 Dry hanging | 绿色环保 going green and environmental protection | 无醛无苯 Aldehyde-free and benzene-free |



## 产品参数 Product parameter

| | | | |
|---|---|---|---|
| 产品编号 Product number | P150 | | |
| 产品截面 Product section |  150 | | |
| 产品规格 Product specification | 长：2400mm，可定制 Length: 2400mm, which can be customized | 宽度：150mm Width: 150mm | 厚度：8mm Thickness: 8mm |
| 产品饰面 Product facing | PVC膜 PVC film | 性能 performance | 防水、防潮 Waterproof and moistureproof |
| 产品材质 Product material | 石塑 Stone sculpture | 防火级别 Fire protection level | B1级 B1 level |
| 安装方式 Installation mode | 干挂 Dry hanging | 绿色环保 going green and environmental protection | 无醛无苯 Aldehyde-free and benzene-free |



## 产品参数 Product parameter


| | | | |
|---|---|---|---|
| 产品编号 Product number | P300 | | |
| 产品截面 Product section |  300 | | |
| 产品规格 Product specification | 长：2400mm，可定制 Length: 2400mm, which can be customized | 宽度：300mm Width: 300mm | 厚度：8mm Thickness: 8mm |
| 产品饰面 Product facing | PVC膜 PVC film | 性能 performance | 防水、防潮 Waterproof and moistureproof |
| 产品材质 Product material | 石塑 Stone sculpture | 防火级别 Fire protection level | B1级 B1 level |
| 安装方式 Installation mode | 干挂 Dry hanging | 绿色环保 going green and environmental protection | 无醛无苯 Aldehyde-free and benzene-free |








## 产品参数 Product parameter

| | | | |
|---|---|---|---|
| 产品编号 Product number | P600 | | |
| 产品截面 Product section |  600 | | |
| 产品规格 Product specification | 长：2400mm，可定制 Length: 2400mm, which can be customized | 宽度：600mm Width: 600mm | 厚度：8mm Thickness: 8mm |
| 产品饰面 Product facing | PVC膜 PVC film | 性能 performance | 防水、防潮 Waterproof and moistureproof |
| 产品材质 Product material | 石塑 Stone sculpture | 防火级别 Fire protection level | B1级 B1 level |
| 安装方式 Installation mode | 干挂 Dry hanging | 绿色环保 going green and environmental protection | 无醛无苯 Aldehyde-free and benzene-free |



## 产品参数 Product parameter

| | | | |
|---|---|---|---|
| 产品编号 Product number | P1000 | | |
| 产品截面 Product section |  1000 | | |
| 产品规格 Product specification | 长：2400mm，可定制 Length: 2400mm, which can be customized | 宽度：1000mm Width: 1000mm | 厚度：8mm Thickness: 8mm |
| 产品饰面 Product facing | PVC膜 PVC film | 性能 performance | 防水、防潮 Waterproof and moistureproof |
| 产品材质 Product material | 石塑 Stone sculpture | 防火级别 Fire protection level | B1级 B1 level |
| 安装方式 Installation mode | 干挂 Dry hanging | 绿色环保 going green and environmental protection | 无醛无苯 Aldehyde-free and benzene-free |


# 平缝板系列/Flat seam plate series





SP6





BSP6





## 产品参数 Product parameter

| 产品编号 Product number | BSP6 | | |
|---|---|---|---|
| 产品截面 Product section |  | | |
| 产品规格 Product specification | 长：2400mm, 可定制 Length: 2400mm, which can be customized | 宽度：600mm Width: 600mm | 厚度：8mm Thickness: 8mm |
| 产品饰面 Product facing | PVC膜 PVC film | 性能 performance | 防水、防潮 Waterproof and moistureproof |
| 产品材质 Product material | 石塑 Stone sculpture | 防火级别 Fire protection level | B1级 B1 level |
| 安装方式 Installation mode | 干挂 Dry hanging | 绿色环保 going green and environmental protection | 无醛无苯 Aldehyde-free and benzene-free |









# V缝板系列/V-seam plate series





SV10





SV4




SV6




BSV6












## 产品参数 Product parameter

| 产品编号 Product number | SV6 | | |
|---|---|---|---|
| 产品截面 Product section |  | | |
| 产品规格 Product specification | 长：2400mm, 可定制 Length: 2400mm, which can be customized | 宽度：600mm Width: 600mm | 厚度：10mm Thickness: 8mm |
| 产品饰面 Product facing | PVC膜 PVC film | 性能 performance | 防水、防潮 Waterproof and moistureproof |
| 产品材质 Product material | 石塑 Stone sculpture | 防火级别 Fire protection level | B1级 B1 level |
| 安装方式 Installation mode | 干挂 Dry hanging | 绿色环保 going green and environmental protection | 无醛无苯 Aldehyde-free and benzene-free |

## 产品参数 Product parameter

| 产品编号 Product number | BSV6 | | |
|---|---|---|---|
| 产品截面 Product section |  | | |
| 产品规格 Product specification | 长：2400mm, 可定制 Length: 2400mm, which can be customized | 宽度：600mm Width: 600mm | 厚度：8mm Thickness: 8mm |
| 产品饰面 Product facing | PVC膜 PVC film | 性能 performance | 防水、防潮 Waterproof and moistureproof |
| 产品材质 Product material | 石塑 Stone sculpture | 防火级别 Fire protection level | B1级 B1 level |
| 安装方式 Installation mode | 干挂 Dry hanging | 绿色环保 going green and environmental protection | 无醛无苯 Aldehyde-free and benzene-free |

## 碳晶板系列 Carbon crystal plate series




### 产品参数 Product parameter

| | | | |
|---|---|---|---|
| 产品规格 Product specification | 长 Long：2440mm 2600mm 2800mm 3000mm 3200mm | 宽度：1220mm Width：1220mm | 厚度：5 / 7 / 8mm Thickness: 5/7/8mm |
| 产品饰面 Product facing | PVC膜 PVC film | 性能 performance | 防水、防潮 Waterproof and moistureproof |
| 产品材质 Product material | 竹木纤维 / 竹炭纤维 Bamboo fiber/bamboo charcoal fiber | 防火级别 Fire protection level | B2级 B2 level |
| 安装方式 Installation mode | 平贴 Flat paste | 绿色环保 going green and environmental protection | 无醛无苯 Aldehyde-free and benzene-free |

## 氢氧化铝金属复合板 Aluminum hydroxide metal composite plate




### 产品参数 Product parameter

| | | | |
|---|---|---|---|
| 产品规格 Product specification | 长 Long: 2440mm 2600mm 2800mm 3050mm | 宽度：1220mm Width：1220mm | 厚度：4mm Thickness: 4mm |
| 产品饰面 Product facing | 金属 metal | 性能 performance | 耐高温、防潮、抗老化、零甲醛 Heat-resistant, moisture-proof, anti-aging, and free of formaldehyde |
| 产品材质 Product material | 高端耐磨饰面、高密度氢氧化铝阻燃芯材 High-end wear-resistant finish, high-density aluminum hydroxide flame-retardant core material | 防火级别 Fire protection level | A2级不燃 A2 class incombustible |
| 安装方式 Installation mode | 龙骨安装 / 平贴 Keel installation/leveling | 绿色环保 going green and environmental protection | 无醛无苯 Aldehyde-free and benzene-free |

**氢氧化铝复合饰面板** 是防火、环保、防潮、颜值、稳定性五合一的高端新型装饰板材，解决了传统板材易燃、有味、变形、档次低的痛点，是目前工装高端落地、长期耐用、验收稳妥的主流饰面材料。

**Aluminum hydroxide composite decorative panel** It is a new high-end decorative board with fire prevention, environmental protection, moistureproof, face value and stability. It solves the pain points of traditional boards such as flammability, odor, deformation and low grade. It is the mainstream decorative material with high-end landing, long-term durability and safe acceptance.

### 适用场景

- 酒店大堂、客房、走廊公区精装
- 企业展厅、门店展厅、形象背景墙
- 医院、学校、办公楼工装墙面
- 商场商铺、电梯厅、过道造型
- 高端家装全屋墙面、电视背景、隐形门、柜体饰面


### Applicable scenario

- Hardcover of hotel lobby, guest room and corridor public area
- Enterprise exhibition hall, store exhibition hall and image background wall
- Workpiece wall of hospitals, schools and office buildings
- Modeling of shopping malls, shops, elevator halls and corridors
- High-end home improvement, whole house wall, TV background, concealed door and cabinet facing.






## 金属复合板系列 Metal composite plate series




### 产品参数 Product parameter

| | | | |
|---|---|---|---|
| 产品规格 Product specification | 长Long：2440mm 2600mm 2800mm 3050mm | 宽度：1220mm Width：1220mm | 厚度：4 / 6 mm Thickness: 4/6mm |
| 产品饰面 Product facing | 金属 metal | 性能 performance | 防水、防潮 Waterproof and moistureproof |
| 产品材质 Product material | 定制 customized | 防火级别 Fire protection level | A2级 A2 level |
| 安装方式 Installation mode | 干挂 / 平贴 Dry hanging/Flat paste | 绿色环保 going green and environmental protection | 无醛无苯 Aldehyde-free and benzene-free |


## 防撞板系列 Anti-collision plate series




### 产品参数 Product parameter

| | | | |
|---|---|---|---|
| 产品规格 Product specification | 长 Long：2440mm 2600mm 2800mm 3000mm 3200mm | 宽度：1220mm Width：1220mm | 厚度：7 / 8mm Thickness: 7/8mm |
| 产品饰面 Product facing | PVC膜 PVC film | 性能 performance | 防水、防潮 Waterproof and moistureproof |
| 产品材质 Product material | 竹木纤维 / 竹炭纤维 Bamboo fiber/bamboo charcoal fiber | 防火级别 Fire protection level | B2级 B2 level |
| 安装方式 Installation mode | 平贴 Flat paste | 绿色环保 going green and environmental protection | 无醛无苯 Aldehyde-free and benzene-free |

## 洁净板系列
## Clean plate series




### 产品参数 Product parameter

| | | | |
|---|---|---|---|
| 产品规格<br>Product specification | 长 Long :2440mm 2600mm<br>2800mm 3050mm | 宽度：1220mm<br>Width：1220mm | 厚度：5 / 8mm<br>Thickness: 5/8mm |
| 产品饰面<br>Product facing | PVC膜<br>PVC film | 性能<br>performance | 防水、防潮<br>Waterproof and moistureproof |
| 产品材质<br>Product material | 竹木纤维 / 竹炭纤维<br>Bamboo fiber/bamboo charcoal fiber | 防火级别<br>Fire protection level | A1级<br>A1 grade |
| 安装方式<br>Installation mode | 平贴<br>Flat paste | 绿色环保<br>going green and environmental protection | 无醛无苯<br>Aldehyde-free and benzene-free |

## 实木三防板系列
## Solid wood three-proof board series




### 产品参数 Product parameter

| | | | |
|---|---|---|---|
| 产品规格<br>Product specification | 长：2400mm，可定制<br>Length: 2400mm, which can be customized | 宽度：1220mm<br>Width：1220mm | 厚度：8mm<br>Thickness: 8mm |
| 产品饰面<br>Product facing | PVC膜<br>PVC film | 性能<br>performance | 防水、防潮<br>Waterproof and moistureproof |
| 产品材质<br>Product material | 复合实木<br>Composite solid wood | 防火级别<br>Fire protection level | B1级<br>B1 level |
| 安装方式<br>Installation mode | 平贴<br>Flat paste | 绿色环保<br>going green and environmental protection | 无醛无苯<br>Aldehyde-free and benzene-free |








H1050-外弧/H1050-Outer arc




H2635




H1842




H1587




H9580




H9787





H5030





H5040


H8035






H1010-外弧/H1010-Outer arc






H1670






H6029






H1342






H7870






H1550





H330











H228






H2011-外弧/H2011-Outer arc





H1520






H2815






H8026






H7020






H5028






H1286外弧/H1268-Outer arc
















## H1550+H7870+H5030做造型示意图
Make a sketch map





H1050
H1050-外弧-雪山白
H1050-Outer arc-snow mountain white
100*50mm


H228
P150
H7870
H2011
H1550
H1587
H1050
P300
H1670
H1286




H5030
H5030-枣红
H5040-claret
51*30mm


H228
P150
8MM防撞板
Crash plate
H5030
P5050
P150


H9787
P5050
H1587

## H1010–外弧 / H1010–内弧 / H1670 / H1550

Outer arc　　inner arc

## H330 / H228 / H8026 / H7020 / H5028

## 以上 9 款造型线常备以下 7 个颜色库存

## The above 9 modeling lines have the following 7 colors in stock











H1010 做造型使用示意图

Use schematic diagram for modeling




绿色梦 . 健康家

Green Environmental Protection





## H2011、H228、H7870、P150组合背景
Combined background

### H2011线型常备色 / Linear standing color








### H1550+H8026+H2011做造型示意图
Make a sketch map




### H1550+P300做造型背景使用示意图
Use schematic diagram for modeling background





### H1550+H5028+H1010做造型示意图
Make a sketch map




### H1550+P150做造型背景使用示意图
Use schematic diagram for modeling background




### P50、H5028、H8026、H1286 做造型使用示意图
Use schematic diagram for modeling







H2011线型常备色 / Linear standing color






## H2011做造型背景使用示意图

Use schematic diagram for modeling background






## H1670 线型常备色 / Linear standing color







## H1670 做造型背景使用示意图

Use schematic diagram for modeling background



卡槽卡10mm无耳朵边线型灯
Slot clamp 10mm ear-less sideline lamp






## H228 线型常备色 / Linear standing color

| 波兰白蜡 Polish ash | 半山榆木 Ulmus banshanensis | 皇家核桃 Royal walnut | 橡影年华 Xiang ying nian Hua | 雪山白 snow mountain white | 奶灰 Milk ash | 暖灰 Dumb ash |
|---|---|---|---|---|---|---|



## H228 做造型背景使用示意图
Use schematic diagram for modeling background




① 卡槽卡15mm无耳朵边线型灯
Slot clamp 15mm ear-less sideline lamp




② 无线型灯
Wireless lamp




## H228 包整柱安装节点示意图
Schematic diagram of installation node of whole column





## H228 包半柱安装节点示意图
Schematic diagram of semi-column installation node





## H228 做隔断屏风使用示意图
Make a schematic diagram of the use of partition screen

① 卡槽卡15mm无耳朵边线型灯
Slot clamp 15mm ear-less sideline lamp




② 卡槽卡15mm无耳朵边线型灯
Slot clamp 15mm ear-less sideline lamp






## H330 线型常备色 / Linear standing color

| 波兰白蜡<br>Polish ash | 半山榆木<br>Ulmus banshanensis | 皇家核桃<br>Royal walnut | 橡影年华<br>Xiang ying nian Hua | 雪山白<br>snow mountain white | 奶灰<br>Milk ash | 暖灰<br>Dumb ash |
|---|---|---|---|---|---|---|



## H330 做造型背景使用示意图
Use schematic diagram for modeling background



① 卡槽卡15mm无耳朵边线型灯
Slot clamp 15mm ear-less sideline lamp




③ 无线型灯
Wireless lamp




② 卡槽卡15mm无耳朵边线型灯
Slot clamp 15mm ear-less sideline lamp





④ 无线型灯
Wireless lamp





## H330 做隔断屏风使用示意图
Make a schematic diagram of the use of partition screen

①





配套工字条
Supporting worker's note

②




P150 墙板
wallboard


③





P300 墙板
wallboard

## H330 做窗套使用示意图
Make a schematic diagram of window cover use

① 卡槽卡15mm无耳朵边线型灯
Slot clamp 15mm ear-less sideline lamp




② 无线型灯
Wireless lamp






## H1550 线型常备色 / Linear standing color

| 波兰白蜡 Polish ash | 半山榆木 Ulmus banshanensis | 皇家核桃 Royal walnut | 橡影年华 Xiang ying nian Hua | 雪山白 snow mountain white | 奶灰 Milk ash | 暗灰 Dumb ash |
|---|---|---|---|---|---|---|



## H1550 做造型背景使用示意图
Use schematic diagram for modeling background



① 卡槽卡10mm无耳朵边线型灯
Slot clamp 10mm ear-less sideline lamp





② 无线型灯
Wireless lamp





③ 卡槽卡10mm无耳朵边线型灯
Slot clamp 10mm ear-less sideline lamp



④ 无线型灯
Wireless lamp



## H1550 做隔断屏风使用示意图
Make a schematic diagram of the use of partition screen




## H1550 做窗台板+窗套线使用
Used as window sill board+window cover line







## H1520 线型常备色 / Linear standing color

| 波兰白蜡 Polish ash | 半山榆木 Ulmus banshanensis | 皇家核桃 Royal walnut | 橡影年华 Xiang ying nian Hua | 雪山白 snow mountain white | 奶灰 Milk ash | 哑灰 Dumb ash |
|---|---|---|---|---|---|---|






绿色梦，健康家
Green Environmental Protection




## H7020 线型常备色 / Linear standing color

| 波兰白蜡 Polish ash | 半山榆木 Ulmus banshanensis | 皇家核桃 Royal walnut | 橡影年华 Xiang ying nian Hua | 雪山白 snow mountain white | 奶灰 Milk ash | 哑灰 Dumb ash |
|---|---|---|---|---|---|---|




## H7870 线型常备色 / Linear standing color







## H7870 做窗套使用示意图

Make a schematic diagram of window cover use


绿色梦 . 健康家

Green Environmental Protection




## H7870 做隔断收口使用示意图

Schematic diagram of partition and closing





使用区域：衣柜隔墙、入口洗漱台隔墙、茶吧台隔墙等区域

Use area: wardrobe partition, entrance washstand partition, tea bar partition and other areas

## H7870 做隔断屏风使用示意图

Make a schematic diagram of the use of partition screen







## H8026 线型常备色 / Linear standing color


| 波兰白蜡 Polish ash | 半山榆木 Ulmus banshanensis | 皇家核桃 Royal walnut | 橡影年华 Xiang ying nian Hua | 雪山白 snow mountain white | 奶灰 Milk ash | 暗灰 Dumb ash |
|---|---|---|---|---|---|---|






## H8026 和 H1286 做造型使用示意图
and
Use schematic diagram for modeling background





## P50、H5028、H8026、H1286 做造型使用示意图
Use schematic diagram for modeling background




## H1550 和 H1670 做造型使用示意图
and
Use schematic diagram for modeling background







1508-哑黑 15*8mm
Dumb black





HK30-哑黑 28*21mm
Dumb black





HY35-哑黑 35*18mm
Dumb black





HY70-哑黑 68*19.5mm
Dumb black





HY100- 哑黑 100*28MM
Dumb black





HD60-哑黑 60*24mm
Dumb black





HD80-哑黑 80*32mm
Dumb black





HD100-哑黑 100*24mm
Dumb black




HY210-哑黑 100*20mm
Dumb black




HY212-哑黑 120*20mm
Dumb black





HM70-哑黑 70*34.5mm
Dumb black





HP40-哑黑 40*10mm
Dumb black




HP60-哑黑 60*12mm
Dumb black




HP80-哑黑 80*12mm
Dumb black





HY68-哑黑 68*15mm
Dumb black











顶角线/crown moulding HY70





顶角线 /crown moulding HY99




HY70-亮白 70*19.5mm
Bright white




HY99-亮白 99*28mm
Bright white




HY70-亮白金边 70*19.5mm
Bright platinum edge




HY99-亮白金边 99*28mm
Bright platinum edge




HY70-哑黑金边 70*19.5mm
Dumb black Phnom Penh




HY99-哑黑金边 99*28mm
Dumb black Phnom Penh




HP40




HP60




HP80



HP40–白 40*10mm
HP60–白 60*12mm
HP80–白 80*15mm
white




HP40–黑 40*10mm
HP60–黑 60*12mm
HP80–黑 80*15mm
black




HP40–青古铜 40*10mm
HP60–青古铜 60*12mm
HP80–青古铜 80*15mm
Green Bronze



HP40–玫瑰金 40*10mm
HP60–玫瑰金 60*12mm
HP80–玫瑰金 80*15mm
rose gold



HP40–亮金 40*10mm
HP60–亮金 60*12mm
HP80–亮金 80*15mm
Liangjin



HP40–GM1 40*10mm
HP60–GM1 60*12mm
HP80–GM1 80*15mm




HP40–电镀蓝 40*10mm
HP60–电镀蓝 60*12mm
HP80–电镀蓝 80*15mm
Electroplated blue




HP40–68002 40*10mm
HP60–68002 60*12mm
HP80–68002 80*15mm








双眼皮线/double fold eyelid line HY210




双眼皮线/double fold eyelid line HY212



HY210–亮白 100*20mm
HY212–亮白 120*20mm
Bright white



HY210–哑黑 100*20mm
HY212–哑黑 120*20mm
Dumb black



HY210–亮白单金 100*20mm
HY212–亮白单金 120*20mm
Bright white single gold



HY210–哑黑单金 100*20mm
HY212–哑黑单金 120*20mm
Dumb black single gold




HY210–亮白双金 100*20mm
HY212–亮白双金 120*20mm
Bright white and double gold




HY210–哑黑双金 100*20mm
HY212–哑黑双金 120*20mm
Dumb black and double gold






HY68






HY68–白 68*15mm
white



HY68–白描金 68*15mm
Sketch gold



HY68–红木 68*15mm
red sandalwood



HY68–红木描金 68*15mm
Redwood tracing gold



HY68–黑 68*15mm
Black



HY68–黑描金 68*15mm
Black gold painting




HY68–亮金 68*15mm
Liangjin



HY68–玫瑰金 68*15mm
rose gold








踢脚线/skirting board HT3



HT3-爵士金 32*10mm
JazzGreen



HT3-新哑黑 32*10mm
New Dark Black



HT3-青古铜金 32*10mm
Green Bronze



HT3-黑钛 32*10mm
Green Bronze




踢脚线 /skirting board HT5



HT5-爵士金 48*10mm
JazzGreen




HT5-新哑黑 48*10mm
New Dark Black



HT5-青古铜金 48*10mm
Green Bronze



HT5-黑钛 48*10mm
Green Bronze




踢脚线/skirting board HT6





HT6-亮白 60*13mm
Bright white



HT6-哑黑 60*13mm
Dark Black



HT6-千玺灰 60*13mm
Qianxihui



HT6-中灰 60*13mm
mellow lime



HT6-深灰 60*13mm
dull grey



HT6-英伦米咖 60*13mm
Ying LUN mi ka



HT6-咖色 60*13mm
coffee color



HT6-拉丝黑 60*13mm
Drawing black




HT6-拉丝灰 60*13mm
Wire drawing ash



HT6-拉丝古铜 60*13mm
Drawn bronze








踢脚线/skirting board HT8







踢脚线/skirting board HT98






HT8-哑白 80*10mm
Dumb white



HT8-小黑金花金边 80*10mm
Small black gold flower Pinnm Penh



HT8-罗马灰描金 80*10mm
Roman grey gold painting




HT98-亮白 98*12mm
Bright white




HT98-哑黑 98*12mm
Dark Black



HT8-白描金 80*10mm
Sketch gold



HT8-黑描金 80*10mm
Black gold painting




HT8-红木金边 80*10mm
Rosewood Pinnm Penh



HT98-罗马灰 98*12mm
Roman ash



HT98-小黑金花 98*12mm
Small black golden flower





踢脚线 HT150






HT150-啡网 150*15mm
Feiwang



HT150-小黑金花 150*15mm
Small black golden flower




HT150-金啡 150*15mm
Jinfei



HT150-黑白根 150*15mm
black marquina




HT150-白 150*15mm
white



HT150-哑黑 150*15mm
Dark Black








S08工字线（适用8mm板材）
S08 I-line(Suitable for 8mm plate)



S08工字线-爵士金 21*12mm
I-line-JazzGreen




S08工字线-新哑黑 21*12mm
I-line-New Dark Black



S08工字线-青古铜金 21*12mm
I-line-Green Bronze



S08工字线-黑钛 21*12mm
I-line-Green Bronze




S05工字线（适用5mm板材）
S05 I-line(Suitable for 5mm plate)



S05工字线-爵士金 21*9mm
I-line-JazzGreen




S05工字线-新哑黑 21*9mm
I-line-New Dark Black



S05工字线-青古铜金 21*9mm
I-line-Green Bronze



S05工字线-黑钛 21*9mm
I-line-Green Bronze





8mm内工字线
8mmInner I-line



8mm内工字线-波兰白蜡 25*7mm
Inner I-line-Polish ash



8mm内工字线-半山榆木 25*7mm
Inner I-line-Ulmus banshanensis




S08收口线（适用8mm板材）
S08Convergent line(Suitable for 8mm plate)



S08收口线-爵士金 21*12mm
Convergent line-JazzGreen




S08收口线-新哑黑 21*12mm
Convergent line-New Dark Black



S08收口线-青古铜金 21*12mm
Convergent line-Green Bronze



S08收口线-黑钛 21*12mm
Convergent line-Green Bronze




S05收口线（适用4mm板材）
S05Convergent line(Suitable for 4mm plate)



S05收口线-爵士金 21*9mm
Convergent line-JazzGreen



S05收口线-新哑黑 21*9mm
Convergent line-New Dark Black




S05收口线-青古铜金 21*9mm
Convergent line-Green Bronze



S05收口线-黑钛 21*9mm
Convergent line-Green Bronze








3X3护角线/Corner guard line





3X3护角线-波兰白蜡 30*30mm
Corner guard line-Polish ash



3X3护角线-半山榆木 30*30mm
Corner guard line-Ulmus bamshanensis



3X3护角线-皇家核桃 30*30mm
Corner guard line-Royal walnut



3X3护角线-橡影年华 30*30mm
Corner guard line-Xiang ying nian Hua




3X3护角线-雪山白 30*30mm
Corner guard line-snow mountain white



3X3护角线-奶灰 30*30mm
Corner guard line-Milk ash




3X3护角线-哑灰 30*30mm
Corner guard line-Dumb ash




格栅线/Grille line H80




H80-波兰白蜡 80*24mm
Polish ash




格栅线/Grille line H102




H102-波兰白蜡 100*9mm
Polish ash




格栅线 /Grille line H160




H160-波兰白蜡 160.5*24mm
Polish ash




格栅线 /Grille line H103




H103-波兰白蜡 100*10mm
Polish ash




格栅线 /Grille line H140



H140-波兰白蜡 149*20mm
Polish ash





格栅线/Grille line H105



H105-波兰白蜡 100*11mm
Polish ash









格栅线/Grille line H106



H106-波兰白蜡 100*9mm
Polish ash







H5030



H5030-波兰白蜡 51*30mm
Polish ash






H6029



H6029-波兰白蜡 60*29mm
Polish ash